VIDEOMIC

DIRECTIONAL ON-CAMERA MICROPHONE

The RØDE VideoMic is a professional-quality condenser shotgun microphone designed for on-camera use. It features a highly directional supercardioid polar pattern, plus a high-pass filter and two-stage pad for added versatility. The VideoMic also features an integrated Rycote® Lyre® shock mount that provides excellent isolation from unwanted rumble and vibrations in the microphone and is powered by a 9V battery.

- Professional-quality recording
- Condenser microphone
- Two-stage high-pass filter (flat, 80Hz)
- Three-stage pad (0, -10dB, -20dB)
- Integrated Rycote Lyre shock mount







OVER 100 HOURS HIGH-PASS FILTER BATTERY LIFE*





INTEGRATED RYCOTE® LYRE® SHOCK MOUNT



ACOUSTIC & ELECTRICAL SPECIFICATIONS

Acoustic Principle:	Line Gradient
Polar Pattern:	Supercardioid
Frequency Range:	40Hz - 20,000Hz (selectable HPF@80Hz)
Sensitivity:	-38dB ±2dB re 1V/Pa @ 1kHz
Impedance:	200Ω
Equivalent Noise:	20dBA (A - weighted per IEC651)
Maximum Output:	+6.9dBu (@ 1% THD into $1k\Omega$)
Dynamic Range:	114dB (per IEC651)
Maximum SPL:	134dB
Signal-to-Noise Ratio:	74 dB
Power Requirements:	9V alkaline battery (Current 5mA)





MECHANICAL SPECIFICATIONS


WHAT'S IN THE BOX

Dimensions (millimetres):	Length: 250 Height: 65 Width: 102
Output Connection:	3.5mm mini-jack
Net Weight (grams):	176




VideoMic

DIMENSIONS



POLAR PATTERN



FREQUENCY RESPONSE

