

RØDECASTERDUO

**QUICK
START
GUIDE**

Panduan Memulai Cepat

RØDE

1. Hubungkan adaptor daya yang disertakan ke RØDECaster Duo Anda, tekan tombol daya merah yang berdekatan, dan ikuti langkah awal saat menyala.
2. Sambungkan mikrofon Anda ke input XLR di bagian belakang dan sesuaikan fader yang sesuai untuk menambah atau mengurangi level masukan.
3. Sambungkan headphone Anda ke output 1/4 inci di bagian belakang dan sesuaikan knob yang sesuai untuk menambah atau mengurangi volume headphone.
4. Lihat panduan pengguna online untuk informasi lebih lanjut tentang cara menguasai RØDECaster Duo Anda.

Unduh RØDE Central untuk menyesuaikan SMART Pads, mentransfer rekaman, mengonfigurasi pengaturan, dan memperbarui firmware untuk RØDECaster Duo Anda di rode.com/apps/rode-central.

NORTH AMERICA

The RØDECaster DUO must not be co-located or operated in conjunction with any other antenna or transmitter.

The device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of more of the following measures:

1. Reorient or relocate the receiving antenna
2. Increase the separation between the equipment and receiver
3. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected

4. Consult the dealer or an experienced radio/TV technician for help

This equipment complies with FCC radiation exposure limits set forth in an uncontrolled environment.

Changes or modifications not expressly approved by RØDE could void the user's authority to operate the equipment.

For USA: The frequency stability of all transmission frequencies of U-NII-1, U-NII 2A, U- NII 2C and U-NII-3 meets the requirements of 47 CFR FCC Part15.407(g), and the manufacturer declares that their transmission is maintained at Band U-NII-1, U-NII 2A, U-NII 2C and U-NII-3.

For Canada: The frequency stability of all transmission frequencies of U-NII-1, U-NII 2A, U- NII 2C and U-NII-3 meets the 47 CFR FCC Part15.407(g) requirements, and the manufacturer states that their transmissions remain within the U-NII-1, U-NII 2A, U-NII 2C and U-NII-3 bands.

Pour le Canada: La stabilité de fréquence de toutes les fréquences de transmission de U- NII-1, U-NII 2A, U-NII 2C et U-NII-3 est conforme aux exigences 47 CFR FCC Part15.407(g), et le fabricant déclare que leurs transmissions restent dans les bandes U-NII-1, U-NII 2A, U-NII 2C et U- NII-3.

CAN ICES-3 (B) / NMB-3 (B)

This Class B digital apparatus complies with Canadian ICES-003

(Cet appareil numérique de la Classe B conforme à la norme NMB-003 du Canada)

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference
2. This device must accept any interference, including interference that may cause undesired operation of the device

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- (1) L'appareil ne doit pas produire de brouillage
- (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement

RADIATION EXPOSURE STATEMENT

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment shall be installed and operated with minimum distance 20cm between the radiator & body.

Radio Frequency Exposure Statement for Canada

The device has been evaluated to meet general RF exposure requirements. The device can be used in mobile exposure conditions. The minimum separation distance is 20cm

Déclaration d'exposition aux radiofréquences pour IC

L'appareil a été évalué pour répondre aux exigences générales en matière d'exposition aux RF. L'appareil peut être utilisé dans des conditions d'exposition mobiles. La distance de séparation minimale est de 20cm.

Operation of this device is restricted to indoor use only. (W52 band)

Le fonctionnement de cet appareil est limité à une utilisation en intérieur uniquement. (W52 band)

EU COMPLIANCE STATEMENT

Hereby, RØDE Microphones declares that the radio equipment type RØDECaster DUO is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address:

<https://info.rode.com/rodecaster-duo>

For details of EU representative go to

<http://en.rode.com/distributors>

EU - KONFORMITÄTSERKLÄRUNG

RØDE Microphones erklärt hiermit, dass der Funkanlagentyp RØDECaster DUO der Richtlinie 2014/53/EU (FuA) entspricht.

Der vollständige Text der EU-Konformitätserklärung ist unter der folgenden Internetadresse verfügbar:

<https://info.rode.com/rodecaster-duo>

Einzelheiten zur EU-Vertretung finden Sie unter

<http://en.rode.com/distributors>

CAUTION:

The RØDECaster Duo has been designed to be used with the provided power supply, as use the provided power supply only.

Stop using the power supply unit and any cables if:

1. There is any damage to the charging port, power connector or power cord
2. The power supply unit is exposed to excessive moisture, or liquids is spilled into the power supply unit
3. The power supply unit enclosure is broken

POWER SUPPLY UNIT SPECIFICATIONS:

Model Name: YDS-PD030A

Frequency: 50-60 Hz

Line Voltage: 100-240 Vac

Output Ratings: 20Vdc 1.5A; 15Vdc 2.0A;
12Vdc 2.5A; 9Vdc 3A; 5Vdc 3A

NCC COMPLIANCE NOTICE

取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。前述合法通信，指依電信管理法規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

應避免影響附近雷達系統之操作。

高增益指向性天線只得應用於固定式點對點系統。

| Operating Frequency Range | The maximum RF Output Power |
|---------------------------|--|
| Bluetooth 2402-2480 MHz | 3.68 dBm (BR/EDR) 4.59 dBm (BLE) EIRP |
| WiFi 2412-2472 MHz | 15.99 dBm EIRP |
| WiFi 5150-5250 MHz | 16.71 dBm EIRP |
| WiFi 5250-5350 MHz | 16.71 dBm EIRP |
| WiFi 5470-5725 MHz | 16.71 dBm EIRP |
| WiFi 5725-5850 MHz | 14 dBm EIRP |
| 2.4G SRD 2402-2480 MHz | 1.19 dBm EIRP |

| | | | | | | |
|-------------------------|--|-------------------|-------------------|--|---|--|
| 設備名稱： Equipment name | | 播客工作站 | | 型號(型式)：RØDECASTER DUO Type designation (Type) | | |
| 單元Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr+6) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 外殼 | ○ | ○ | ○ | ○ | ○ | ○ |
| 線材 | ○ | ○ | ○ | ○ | ○ | ○ |
| 印刷電路板 (含插件) | ○ | ○ | ○ | ○ | ○ | ○ |
| 標籤 | ○ | ○ | ○ | ○ | ○ | ○ |

備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。

Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. “-”係指該項限用物質為排除項目。

Note 3: The “-” indicates that the restricted substance corresponds to the exemption.

USA



FCC ID: 2AEAN-RCDUO

CANADA

IC: 20091-RCDUO

CAN: ICES-3 (B) / NMB-3 (B)

NEW ZEALAND

R-NZ

SOUTH KOREA



ID: R-R-R72-RCDUO

Company Name: RØDE Microphones

Model: RØDECaster Duo

Country of Origin: Australia

NCC



CCAJ23LP14E0T9

BSMI



D39882

RoHS

JAPAN



210-211103

INDIA

IS 13252(PART 1): 2010/
IEC 60950-1: 2005



R-41263699

MEXICO



POWER

9Vdc 3A



rode.com

0927-0840-02-05